



**Schmucker, Paul, Nohr and Associates**

2100 North Sanborn Blvd — PO Box 398

Mitchell SD 57301-0398

Phone (605) 996-7761

Wats (800) 952-3598

Fax (605) 996-0015

www.spn-assoc.com

**MAY 18, 2018**

**RE: PHILIP SOUTHWEST WASTEWATER AND STREET IMPROVEMENTS  
PHILIP, SOUTH DAKOTA  
SPN #14884**

**BID LETTING: THURSDAY, MAY 24, 2018, 11:00 AM**

## ***ADDENDUM NUMBER 1***

The following information for clarification shall be added and modifications are to be made to the plans and specifications for the Philip Southwest Wastewater and Street Improvements project.

### **FOR INFORMATION**

The following paragraphs explain the location of work for each bid schedule:

#### **Bid Schedule A – Community Access**

This work includes all street improvements from stations 11+83.50 to 15+96.00 on Oak Street and from stations 33+72.50 to 37+48.00 on Howard Avenue. This work also includes the storm sewer improvements on Oak Street.

#### **Bid Schedule B – Sanitary Sewer**

This work includes all sanitary sewer improvements for the Philip Southwest Wastewater and Street Improvements project.

#### **Bid Schedule C – Street Improvements**

This work includes all remaining street improvements on the Philip Southwest Wastewater and Street Improvements project that are not included in Bid Schedule A – Community Access. This work also includes storm sewer improvements on West Avenue, south of Oak Street and West Avenue, north of Oak Street.

#### **Bid Schedule D – Sunshine Drive**

This work includes all street improvements for the separately bound plan sheets for Sunshine Drive Street Improvements.

The following paragraph includes information for the awarding of the bid:

If the project is awarded, it is the intention that the City of Philip will award the project during their regular scheduled City Council Meeting on June 4, 2018. The award will be contingent on funding agency and Engineer approval. The Bidder is directed to Article 19 of Section C-200 Instructions to Bidders for additional information on the awarding of the Contract.

**SPECIFICATIONS**


**SECTION 2500 – PAVING AND SURFACING – 1.05 MEASUREMENT AND PAYMENT**

Delete in its entirety paragraph E and replace with the following:

- E.1. 8" Nonreinforced PCC Pavement measurement and payment shall be based on the number of square yards of concrete placed as shown on the plans and as directed by the Engineer at the contract unit price. Payment shall include aggregate, cement, water, dowel bar assemblies, tie bars, expansion material, joint sealant, and all work and materials required for the placement of the 8" Nonreinforced PCC Pavement.
  
- E.2. PCC Approach Pavement measurement and payment shall be based on the number of square yards of concrete placed as shown on the plans and as directed by the Engineer at the contract unit price for the respective depth of approach pavement. Payment shall include aggregate, cement, water, expansion material, and all work and materials required for the placement of the Approach Pavement.

**PLANS**

No Changes



-----

The undersigned hereby acknowledges receipt of Addendum Number 1 to the plans and specifications for the PHILIP SOUTHWEST WASTEWATER AND STREET IMPROVEMENTS.

FIRM NAME \_\_\_\_\_  
BY \_\_\_\_\_  
TITLE \_\_\_\_\_  
DATE \_\_\_\_\_

**ATTACH THIS SIGNED ADDENDUM NO. 1 TO THE BID FORM WHEN SUBMITTING.**